

ARMOURX

SAFETY FRAMES

PRODUCT CATALOGUE 2022



ARMOURX

WRAP-RX COLLECTION

6001 - 6013

7900 - 7901

pages 3 - 13

BASIC COLLECTION

3000P - 3002P

5001 - 5008

7012 - 7014

7700 - 7702

pages 14- 20

CLASSIC COLLECTION

7005 - 7007

7400 - 7402

7500 - 7501

pages 21 -24

METRO COLLECTION

7000 - 7004

7008 - 7010

7015 - 7018

7100 - 7109

pages 25 -32

TITANIUM COLLECTION

8001 - 8002

pages 33-34

SIDE SHIELD REFERENCE

page 36

SPARE PARTS INFORMATION

page 37

WARRANTY INFORMATION

page 37

WHAT'S NEW?



BASIC COLLECTION: MODEL 3000P

Page 15



BASIC COLLECTION: MODEL 3001P

Page 15



BASIC COLLECTION: MODEL 3002P

Page 15



CLASSIC COLLECTION: MODEL 7502

Page 24



WRAP-RX

THE WRAP-RX COLLECTION

brings together both function and style. The protective structure of an integrated side shield, quality material and available accessories, make these wrap-around models ideal for the workplace. The WRAP-Rx Collection is great for indoor and outdoor work environments.



BEST SELLER

MODEL 6001

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1 • CSA Z94.3
- Cushion and Dust Bar accessories available



non conductive

ACCESSORIES

AVAILABLE SEPARATELY



REMOVABLE CUSHION
P/N 6001C



DUST BAR
P/N 6001D

SIZE 62-16-125

62.00	39.00	65.40	16	125



MODEL 6002

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1 • CSA Z94.3
- Strap, Cushion and Dust Bar accessories available



non conductive

ACCESSORIES

AVAILABLE SEPARATELY



REMOVABLE CUSHION
P/N 6002C



DUST BAR
P/N 6002D



STRAP
P/N STRAP



SIZE 53-18-125

53.50	35.60	56.10	18	125



i MODEL 6005

- Integrated side shield protection
- Standards: ANSI Z87.1 • CSA Z94.3
- Additional lens holders available

g ACCESSORIES

INCLUDED



SIZE 62-16-120



AVAILABLE ONLY IN BLACK

i MODEL 6006

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1 • CSA Z94.3
- Cushion and Strap included

g ACCESSORIES

INCLUDED



SIZE 60-17-128



non conductive



BLACK



BLUE



GREY

i MODEL 6007

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1 • CSA Z94.3
- Cushion and Strap included

ACCESSORIES

INCLUDED



SIZE 64-18-116



Shown with temples removed and replaced with strap.



i MODEL 6008

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1 • CSA Z94.3
- Dust Bar included

ACCESSORIES

INCLUDED



SIZE 59-19-114



i MODEL 6008FS

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1 • CSA Z94.3
- Full seal rubber cushion

ACCESSORIES

INCLUDED



REMOVABLE FULL SEAL
P/N 6008SL



SIZE 59-19-114



non conductive

58.80	37.30	64.06	19	114



AVAILABLE ONLY IN BLACK

i MODEL 6009

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1 • CSA Z94.3
- Cushion and Strap included

ACCESSORIES

INCLUDED



REMOVABLE CUSHION
P/N 6009C



STRAP
P/N 6009S



SIZE 60-16-125



non conductive

60.50	36.30	65.00	16	125



BLACK

CRYSTAL

GREY

i MODEL 6010

- Integrated side shield protection
- Standards: ANSI Z87.1
- Cushion and Strap included

g ACCESSORIES


INCLUDED



REMOVABLE CUSHION
P/N 6010C



STRAP
P/N 6010S



ADJUSTABLE
PANTOSCOPIC
TILT



SIZE 64-17-120



63.50



35.70



66.60




17



120



BLACK



BROWN

Shown with temples
removed and
replaced with strap



i MODEL 6011

- Integrated side shield protection
- Standards: ANSI Z87.1 • CSA Z94.3



ADJUSTABLE NOSE PADS



SIZE 55-21-116



54.70



35.40




59.40




21



116



CAMO



GREY

i MODEL 6013

- Integrated side shield protection
- Standards: ANSI Z87.1 • CSA Z94.3



SIZE 55-17-125 

				
54.48	33.28	54.92	17	125




AVAILABLE ONLY IN BLACK

i MODEL 6014

- Integrated side shield protection
- Standards: ANSI Z87.1 • CSA Z94.3
- Cushion included



REMOVABLE CUSHION
P/N 6014C



AMERICAN OR CANADIAN FLAG DESIGN




SIZE 60-16-129 

				
60.10	37.46	65.16	16	129



AVAILABLE WITH CANADA FLAG




AVAILABLE WITH USA FLAG

MODEL 6014A (ASIAN FIT)

- Integrated side shield protection
- Standards: ANSI Z87.1 • CSA Z94.3
- Cushion included



REMOVABLE CUSHION • ASIAN FIT
P/N 6014CA



AMERICAN OR CANADIAN FLAG DESIGN



SIZE 60-16-129

60.10	37.46	65.16	16	129



AVAILABLE WITH CANADA FLAG

AVAILABLE WITH USA FLAG

MODEL 6015

- Integrated side shield protection
- Standards: ANSI Z87.1 • CSA Z94.3
- Cushion included



REMOVABLE CUSHION
P/N 6015C



SIZE 63-15-125

63.45	36.88	66.55	15	125



BLUE/BEIGE

BLACK/GREY

i **MODEL 6015A (ASIAN FIT)**

- Integrated side shield protection
- Standards: ANSI Z87.1 • CSA Z94.3
- Cushion included



REMOVABLE CUSHION • ASIAN FIT
P/N 6015CA



SIZE 63-15-125



i **MODEL 6016**

- Integrated side shield protection
- Standards: ANSI Z87.1 • CSA Z94.3
- Cushion included



REMOVABLE CUSHION
P/N 6016C



SIZE 64-16-126



i MODEL 6017

- Integrated side shield protection
- Standards: ANSI Z87.1
- Non-conductive (no metal content)



SIZE 59-18-127



non conductive



i MODEL 6018

- Integrated side shield protection
- Standards: ANSI Z87.1



SIZE 66-15-125



MODEL 7900

- Integrated side shield protection
- Aluminum / Polycarbonate
- Standards: ANSI Z87.1 • CSA Z94.3



SIZE	62-14-127				
62.00	39.00	65.00	14	127	



AVAILABLE ONLY IN GREY

MODEL 7901

- Integrated side shield protection
- Aluminum / Polycarbonate
- Standards: ANSI Z87.1 • CSA Z94.3



SIZE	62-17-125				
62.00	38.50	65.00	17	127	



AVAILABLE ONLY IN GREY

BASIC

THE BASIC COLLECTION

combines a minimal design and staple colours to create safety frames that are easy-to-wear. The collection's complimenting shapes are perfect for all face shapes. For a simple sophisticated look, the Basic Collection works!



MODEL 3000P

Standards: ANSI Z87.1 • CSA Z94.3

PERMANENT SIDE SHIELD ONLY



GUN

GOLD

AVAILABLE Q2 OF 2022



SIZE	Eye Width	Eye Height	Bridge Width	Temple Length	Side Shield
60-16-145	60.00	43.60	64.90	16	145
63-16-150	63.00	45.80	67.90	16	150

MODEL 3001P

Standards: ANSI Z87.1 • CSA Z94.3

PERMANENT SIDE SHIELD ONLY



BLACK

BROWN

AVAILABLE Q2 OF 2022



SIZE	Eye Width	Eye Height	Bridge Width	Temple Length	Side Shield
56-18-140	56.00	36.30	55.60	18	140
59-18-145	59.00	38.10	58.60	18	145

MODEL 3002P

Standards: ANSI Z87.1 • CSA Z94.3

PERMANENT SIDE SHIELD ONLY



BLUE

BLACK

AVAILABLE Q2 OF 2022



SIZE	Eye Width	Eye Height	Bridge Width	Temple Length	Side Shield
51-18-135	51.00	35.30	50.30	18	135
53-18-140	53.00	36.70	52.70	18	140

i MODEL 5001

Standards: ANSI Z87.1 • CSA Z94.3 (5001P only)




REMOVABLE SIDE SHIELD ORDER 5001R
 PERMANENT SIDE SHIELD ORDER 5001P



AVAILABLE ONLY IN GREY



SIZE 54-17-145

				
54.00	35.30	56.90	17	145

i MODEL 5002

Standards: ANSI Z87.1 • CSA Z94.3 (5002P only)

REMOVABLE SIDE SHIELD ORDER 5001R
 PERMANENT SIDE SHIELD ORDER 5002P



AVAILABLE ONLY IN BLUE



SIZE 51-16-135

				
51.00	35.80	53.10	16	135

i MODEL 5003

Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



BLK/RED

CRY/BLUE



**BEST
SELLER**

SIZE 62-13-134

				
61.20	41.90	65.80	13	134

i MODEL 5004

• Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



GREY



SIZE 60-13-134

60.30	40.30	66.20	13	134

i MODEL 5005

• Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



BLACK



SIZE 56-14-143

55.80	39.10	61.70	14	143

i MODEL 5006

• Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



BROWN



SIZE 56-14-143

56.10	37.70	63.70	14	143

i MODEL 5007

- Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



SIZE 61-16-140




60.57	42.62	65.50	16	140

i MODEL 5008

- Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION




SIZE 57-18-140

57.00	52.20	60.00	18	140

i MODEL 7012

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7012P only)

REMOVABLE SIDE SHIELD ORDER 7012R
PERMANENT SIDE SHIELD ORDER 7012P




SIZE					
55-17-140	55.00	34.10	57.80	17	140
57-17-140	57.00	35.30	60.20	17	140
59-17-145	59.00	36.50	62.20	17	145

i MODEL 7013

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7013P only)

REMOVABLE SIDE SHIELD **ORDER 7013R**
 PERMANENT SIDE SHIELD **ORDER 7013P**




**BEST
SELLER**

SIZE					
52-17-140	52.00	34.40	55.80	17	140
54-17-140	54.00	35.00	57.50	17	140
56-17-145	56.00	36.30	59.80	17	145

i MODEL 7014

- Stainless Steel
- Standards: ANSI Z87.1

REMOVABLE SIDE SHIELD **ORDER 7014R**
 PERMANENT SIDE SHIELD **ORDER 7014P**




SIZE					
51-18-135	51.00	34.40	54.20	18	135
53-18-135	53.00	34.40	55.60	18	135

i MODEL 7700

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7700P only)

REMOVABLE SIDE SHIELD **ORDER 7700R**
 PERMANENT SIDE SHIELD **ORDER 7700P**




SIZE	53-17-135				
53.00	35.10	55.50	17	135	

i MODEL 7701

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7701P only)

REMOVABLE SIDE SHIELD ORDER 7701R

PERMANENT SIDE SHIELD ORDER 7701P




SIZE					
49-20-140	49.00	35.40	50.70	20	140
52-20-145	52.00	37.40	54.20	20	145

i MODEL 7702

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7702P only)

REMOVABLE SIDE SHIELD ORDER 7702R

PERMANENT SIDE SHIELD ORDER 7702P



SIZE					
51-20-140	51.00	35.60	52.10	20	140
54-20-145	54.00	37.30	55.60	20	145

CLASSIC

THE CLASSIC COLLECTION

combines the craftsmanship of comfort and durability with timeless designs. Modern shapes meet classic designs, giving a tasteful and polished finish, complimenting any age group.



i MODEL 7005

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7005P only)

REMOVABLE SIDE SHIELD ORDER 7005R

PERMANENT SIDE SHIELD ORDER 7005P




SIZE					
56-16-145	56.00	34.40	60.20	16	145
59-16-145	59.00	34.80	63.00	16	145

i MODEL 7006

- Stainless Steel
- Comfort Bridge
- Standards: ANSI Z87.1 • CSA Z94.3 (7006P only)

REMOVABLE SIDE SHIELD ORDER 7006R

PERMANENT SIDE SHIELD ORDER 7006P




SIZE					
53-15-140	53.00	38.30	59.00	15	140
56-15-145	56.00	40.50	62.40	15	145

i MODEL 7007

- Stainless Steel
- Comfort Bridge
- Standards: ANSI Z87.1 • CSA Z94.3 (7007P only)

REMOVABLE SIDE SHIELD ORDER 7007R

PERMANENT SIDE SHIELD ORDER 7007P



SIZE					
52-15-140	52.00	40.50	57.80	15	140
55-15-145	55.00	42.80	61.20	15	145

i MODEL 7400

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7400P only)

REMOVABLE SIDE SHIELD ORDER 7400R
 PERMANENT SIDE SHIELD ORDER 7400P



SIZE					
56-16-140	56.00	35.40	60.80	16	140
59-16-145	59.20	37.30	63.70	16	145

i MODEL 7401

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7401P only)

REMOVABLE SIDE SHIELD ORDER 7401R
 PERMANENT SIDE SHIELD ORDER 7401P



SIZE					
56-18-140	56.00	35.40	60.50	18	140
59-18-145	59.20	37.20	63.60	18	145

i MODEL 7402

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7402P only)

REMOVABLE SIDE SHIELD ORDER 7402R
 PERMANENT SIDE SHIELD ORDER 7402P



SIZE					
54-18-140	54.10	37.20	57.40	18	140
57-18-145	57.00	39.50	60.50	18	145

i MODEL 7500

• Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



DEMI-BROWN



SIZE 52-22-143

52.00	43.00	56.00	22	143

i MODEL 7501

• Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



GREY



SIZE 57-18-145

57.00	43.00	63.00	18	145

i MODEL 7502

• Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



BLACK

BROWN



SIZE 58- 18- 135

58.30	42.30	63.80	18	135



METRO

THE METRO COLLECTION

offers trendy styles and unique designs, with the performance and durability of safety eyewear.


A bold and chic collection made for the fashion conscious. Thinking outside-the-factory and onto the fashion streets.



i MODEL 7000

- Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7000P only)

REMOVABLE SIDE SHIELD ORDER 7000R
 PERMANENT SIDE SHIELD ORDER 7000P




SIZE					
55-16-140	55.00	33.90	58.20	16	140
57-16-145	57.00	33.90	60.00	16	145

i MODEL 7001

- Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7001P only)

REMOVABLE SIDE SHIELD ORDER 7001R
 PERMANENT SIDE SHIELD ORDER 7001P



SIZE					
52-15-145	52.00	34.40	54.80	15	145
55-15-150	55.00	36.30	58.00	15	150

i MODEL 7002

- Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7002P only)

REMOVABLE SIDE SHIELD ORDER 7002R
 PERMANENT SIDE SHIELD ORDER 7002P




SIZE					
54-15-145	54.00	32.50	57.00	15	145
57-15-150	57.00	32.50	59.40	15	150

i MODEL 7003

- Stainless Steel / TR
- Standards: ANSI Z87.1 • CSA Z94.3 (7003P only)

REMOVABLE SIDE SHIELD ORDER 7003R
 PERMANENT SIDE SHIELD ORDER 7003P




SIZE					
55-18-145	55.00	34.40	60.20	18	145
58-18-145	58.00	34.40	62.50	18	145

i MODEL 7004

- Stainless Steel / Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7004P only)

REMOVABLE SIDE SHIELD ORDER 7004R
 PERMANENT SIDE SHIELD ORDER 7004P




SIZE					
56-15-140	56.00	39.00	61.60	15	140
59-15-145	59.00	41.00	65.00	15	145

i MODEL 7008

- Stainless Steel / Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7008P only)

REMOVABLE SIDE SHIELD ORDER 7008R
 PERMANENT SIDE SHIELD ORDER 7008P




SIZE	53-17-135				
	53.00	33.70	56.60	17	135

i MODEL 7009

- Stainless Steel / Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7009P only)

REMOVABLE SIDE SHIELD **ORDER 7009R**
 PERMANENT SIDE SHIELD **ORDER 7009P**




SIZE	52-17-135				
52.00	33.00	55.80	17	135	

i MODEL 7010

- Stainless Steel / Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7010P only)

REMOVABLE SIDE SHIELD **ORDER 7010R**
 PERMANENT SIDE SHIELD **ORDER 7010P**




SIZE	52-17-135				
52.00	33.00	54.60	17	135	

i MODEL 7015

- Stainless Steel / Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7015P only)

REMOVABLE SIDE SHIELD **ORDER 7015R**
 PERMANENT SIDE SHIELD **ORDER 7015P**




SIZE					
56-16-145	56.00	34.40	60.80	16	145
59-16-145	59.00	35.80	64.00	16	145

i MODEL 7016

- Cellulose Acetate
- Small head fit
- Standards: ANSI Z87.1

REMOVABLE SIDE SHIELD **ORDER 7016R**
 PERMANENT SIDE SHIELD **ORDER 7016P**




Z87-2+H
frame for
smaller
head fit

SIZE	52-16-135				
52.00	28.00	53.80	16	135	

i MODEL 7017

- Stainless Steel / Cellulose Acetate
- Small head fit
- Standards: ANSI Z87.1

REMOVABLE SIDE SHIELD **ORDER 7017R**
 PERMANENT SIDE SHIELD **ORDER 7017P**




Z87-2+H
frame for
smaller
head fit

SIZE	52-17-135				
52.00	28.00	54.80	17	135	

i MODEL 7018

- Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7018P only)

REMOVABLE SIDE SHIELD **ORDER 7018R**
 PERMANENT SIDE SHIELD **ORDER 7018P**



SIZE	54-15-135				
54.00	35.60	56.60	15	135	

MODEL 7100

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7100P only)

REMOVABLE SIDE SHIELD ORDER 7100R
 PERMANENT SIDE SHIELD ORDER 7100P




SIZE					
55-16-140	55.00	37.40	58.60	16	140
58-16-145	58.00	39.40	61.90	16	145

MODEL 7101

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7101P only)

REMOVABLE SIDE SHIELD ORDER 7101R
 PERMANENT SIDE SHIELD ORDER 7101P



SIZE					
56-16-140	56.00	34.50	59.10	16	140
59-16-145	59.00	36.70	62.30	16	145

MODEL 7102

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7102P only)

REMOVABLE SIDE SHIELD ORDER 7102R
 PERMANENT SIDE SHIELD ORDER 7102P




SIZE	54-16-135				
	54.00	35.00	56.40	15	135

i MODEL 7103

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7103P only)

REMOVABLE SIDE SHIELD **ORDER 7103R**
 PERMANENT SIDE SHIELD **ORDER 7103P**




SIZE	54-17-135				
54.00	36.50	56.50	17	135	

i MODEL 7105

- Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7105P only)

REMOVABLE SIDE SHIELD **ORDER 7105R**
 PERMANENT SIDE SHIELD **ORDER 7105P**




SIZE	53-16-138				
53.00	35.90	56.20	16	138	

i MODEL 7106

- Cellulose Acetate
- Standards: ANSI Z87.1 • CSA Z94.3 (7106P only)

REMOVABLE SIDE SHIELD **ORDER 7106R**
 PERMANENT SIDE SHIELD **ORDER 7106P**



SIZE	50-16-138				
50.00	35.80	51.90	16	138	

i MODEL 7107

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7107P only)

REMOVABLE SIDE SHIELD ORDER 7107R
 PERMANENT SIDE SHIELD ORDER 7107P



BLACK



SIZE 48-21-145

48.00	41.00	51.50	21	145

i MODEL 7108

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3 (7108P only)

REMOVABLE SIDE SHIELD ORDER 7108R
 PERMANENT SIDE SHIELD ORDER 7108P



BLACK



SIZE 60-17-140

60.00	36.40	64.00	17	140

i MODEL 7109

- Stainless Steel
- Standards: ANSI Z87.1 • CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



GREY



VENTILATED METAL SIDE SHIELD



SIZE					
56-18-140	56.00	45.40	61.00	18	140
60-18-145	60.00	48.60	65.30	18	145

TITANIUM

THE TITANIUM COLLECTION


gives you the support and strength you need on the job without the heavy feel. You can depend on these lightweight, contemporary designs to outlast even your toughest job.



i MODEL 8001

- Titanium
- Standards: ANSI Z87.1 • CSA Z94.3 (8001P only)

REMOVABLE SIDE SHIELD **ORDER 8001R**
 PERMANENT SIDE SHIELD **ORDER 8001P**




SIZE					
55-17-140	54.80	35.50	59.10	17	140
58-17-145	58.00	37.20	62.30	17	145

i MODEL 8002

- Titanium
- Standards: ANSI Z87.1 • CSA Z94.3 (8002P only)

REMOVABLE SIDE SHIELD **ORDER 8002R**
 PERMANENT SIDE SHIELD **ORDER 8002P**



SIZE					
56-17-140	56.40	35.30	60.00	17	140
59-17-145	59.40	36.80	63.10	17	145

SIDE SHIELDS. WE'VE GOT YOU COVERED.

To protect your eyes from workplace hazards, if required, side shields are included with all Armourx frames.

ARMOURX SIDE SHIELDS ARE:


- Tested per ANSI and/or CSA Standards
- Impact resistant
- Resistant to lens cleaning chemicals
- Durable - will not crack or craze over time

Each side shield is designed to fit a specific frame. Permanently attached side shields are attached with a decorative rivet. Permanent side shields are attached at the factory, so you won't have to worry about extra little parts needed, or riveting.

NO ASSEMBLY REQUIRED!




REMOVABLE



PERMANENT -RIVETED

ORDERING SIDE SHIELDS



Most Armourx frames are available in 2 configurations with removable shields or with permanently attached side shields.

The model number is different for these 2 configurations.

EXAMPLE:

