PROTECTION FOR LIFE



2024 PRODUCT CATALOG



SINCE 1987 A LEGACY OF PROTECTION

Inspired by a singular purpose of "building the world's best protective eyewear", U.S. Army Veteran Myles Freeman Sr. founded Wiley X in 1987. Over the years, we've become an iconic American brand and the most trusted name for protective eyewear. Brothers Dan and Myles Jr. continue to build on their father's legacy while leading the brand to innovate new eyewear products without compromising protection.

Today our company creates premium protective eyewear for a wide range of customers that serve, work and play in life's harshest environments.

TABLE OF CONTENTS

4 TECHNOLOGY

10 Active 6 series

16 Active 8 series

26 PERFORMANCE SERIES

34 TACTICAL SERIES

44 WORKSIGHT® SERIES

52 ACTIVE 6 WORKSIGHT® SERIES

56

YOUTH FORCE® SERIES

62 Apel

AFEL

68 GLOVES

74 PRODUCT DISPLAYS

LENS TECHNOLOGY

AMPLIFIED VISUAL PERFORMANCE

CAPTIVATE™ is a premium lens technology meticulously engineered to filter light and elevate visual performance through enhanced colors, superior contrast, and increased clarity. When combined with industry-leading protection and durability, CAPTIVATE allows you to perform with confidence in any environment.

CAPTIVATE™ LENS BENEFITS

SHARPER DETAIL

Reveals features in your environment normally missed by the naked eye.

INCREASED CONTRAST

Improves depth perception in conditions where light and shadows distort vision.

ENHANCED COLOR

Provides color separation to make surroundings appear more vivid and vibrant.

WITH CAPTIVATE™ LENSES WITHOUT CAPTIVATE™ LENSES

C	APTIVATE™ L
GREY BASE LENSES	COPPER BA
CAPTIVATE™ POLARIZED BLUE MIRROR Reduces bright glare on the water. Light Transmission: 11%*	CAPTIVATE™ POLARIZED BI Provides tint f activities. Light Transmis
CAPTIVATE [™] RED MIRROR / POLARIZED RED MIRROR Improved depth perception in bright sun. Keeps colors true. Light Transmission: 15%*	CAPTIVATE™ POLARIZED GI High-contrast Light Transmis
CAPTIVATE™ GREY / POLARIZED GREY Even contrast for everyday activities.	CAPTIVATE [™] POLARIZED CI Vivid color for conditions. Light Transmis
Light Transmission: 13%* CAPTIVATE [™] BLACK MIRROR / POLARIZED BLACK MIRROR Enhances detail with a natural view of colors. Light Transmission: 11%*	CAPTIVATE™ TUNGSTEN MI POLARIZED TL Provides optin lighting condi Light Transmis
Polarized and No	n-Polarized Cap



LA[™] LIGHT ADJUSTING SMOKE GREY Photochromic lenses darken and lighten depending on brightness for maximum optical clarity. Light Transmission: 81% to 17% in sunlight*

YELLOW LIGHT RUST



POLARIZED SILVER FLASH

Reduces Glare across all environments. Excellent for bright sunny days. Light Transmission: 13%

LENS ANATOMY

LENS OPTIONS

ASE LENSES

BRONZE MIRROR t for lowlight ission: 15%*

GREEN MIRROR st for outdoors. nission: 12%*

COPPER or variable light nission: 17%*

IIRROR / **UNGSTEN MIRROR** imal vision in all ditions. ission: 10%*

GREEN BASE LENSES

CAPTIVATE[™] POLARIZED ROSE GOLD MIRROR True color in bright sun and low-light. Light Transmission: 13%*



CAPTIVATE[™] POLARIZED PLATINUM FLASH Cuts glare for land and water activities. Light Transmission: 13%*

ptivate[™] Lens Options Available

STANDARD LENS OPTIONS

Increased contrast in extremely low-light/hazy conditions. Light Transmission: 82%*

Enhances contrast in medium to low-light conditions. Light Transmission: 52%*



VERMILLION

Best for medium to low-light conditions. Sharpens contrast and brightens targets. Light Transmission: 45%*



CLEAR

Maximum light transmission. See precise color values. Hazy or overcast, dusk/dawn conditions. Light Transmission: 89%*

*Transmittance values are approximate within +\-3%

PROTECTION

Protection is not just a feature of our products, it is what defines us and sets us apart from others in the industry. Our eyewear is tested to meet national and international standards, ensuring every pair of eyewear we produce surpasses the highest ratings possible for safety and optics.



ANSI HIGH-MASS IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a 1.1 lb projectile dropped from a height of 50" to ensure your eyes are protected from unexpected blunt force impacts.



ANSI HIGH-VELOCITY IMPACT TEST

Wiley X ANSI Z87.1+ frames and lenses must withstand the impact of a .25" diameter steel ball. For spectacles, the projectile must be traveling 150-160 fps and for goggles, the projectile must be traveling at 250-260 fps.



VO BALLISTICS

All Tactical items meet the ballistic protection levels of MIL-PRF-32432A; .15 V0 700-725 fps for spectacle and .22 580-590 for goggles. Wiley X tactical models that are part of the Authorized Protective Eyewear List (APEL) are tested to the Alpha version of the V0 ballistics standard with a spectacle frame and lens being impacted with a .15 caliber projectile traveling 700-725 fps, or a goggle frame and lens with a .22 caliber projectile traveling 580-590 fps. Both tests are meant to simulate shrapnel encountered on the battlefield.



YOUTH FORCE® ASTM F803 STANDARD

All Youth ForceTM Sports Protective Eyewear models are tested to ensure that they meet the ASTM F803 standards. To pass the High-Velocity Impact Resistance Test, the eyewear must withstand projectiles sized from 40 mm to 65.1 mm fired at a 90mph. Youth Force™ styles are suitable for Soccer, Basketball, Racquetball, Squash, Badminton, Paddle Ball, Tennis and Handball.

ANSI FRAME AND LENS MARKINGS EXPLAINED

Our frames and lenses include several markings that indicate specific safety ratings as determined by the American National Standards Institute (ANSI). This guarantees your Wiley x eyewear has been put through rigorous testing to ensure they'll protect your eyes from a projectile or other foreign.



Z87 Designation of the standard.

- The frames can be fitted with a prescription lens, which is the case with most Wiley X styles.
- The eyewear frame and lenses have been tested to the high-velocity and high-mass impact requirements of ANSI Z87.1+ safety standards.
- The lens is a filter or a shaded lens (not clear).
- The lens is variable-tint photochromic (light adjusting).



In order to meet the demands of harsh environments and ensure optimal performance, many of our products are designed with additional performance features. These features are specifically tailored to withstand extreme conditions and provide enhanced functionality in any environment.



CLICK A.I.R. (AIR INTAKE REGULATOR) GASKETS

CLICK A.I.R. Gaskets are designed to shield your eyes from harmful debris, while allowing you the freedom to customize airflow through the gasket to prevent fogging. Push down on the top of the gasket above the nose bridge to open and increase airflow. Click again to lock it down for activities where additional airflow isn't needed. Available with the WX Ozone.

DYNAMIC VENTILATION

Our Dynamic Ventilation system works with the Removable Facial Cavity™ seal, allowing you to control airflow and reduce fogging. Side vents open to allow air to flow in and behind the lenses to clear condensation. Close the side vents to stop airflow. This technology is currently available with the WX Breach.


REMOVABLE FACIAL CAVITY[™] SEALS

Fine dust and pollen, as well as wind, can cause long-term eye irritation, such as Dry Eye Syndrome. Peripheral light can also diminish optical clarity. Wiley X's removable soft foam Facial Cavity™ Seals block out even the finest irritants and peripheral light, protecting the eyes and allowing polarized lenses to perform at peak levels. Included with all Climate Control models.

ANSI Z87.1+ SIDE SHIELDS

All Active 6 and Worksight models come with removable and permanent side shield options to meet ANSI Z87.1+ compliance

SUSTAINABLE FRAME MATERIALS







FRAME TECHNOLOGY

Our latest frame styles are made of bio-based raw materials that are lightweight, flexible, resistant to heat, UV resistant, and BPA-free. All performance characteristics make this material a superior, sustainable choice for fit, function, and performance while providing the impact protection we require

WILEY X AUTHENTIC PRESCRIPTIONS

DIGIFORCE™ DIGITAL LENSES

As a company that specializes in high-wrap sport and safety eyewear, it's imperative that we provide the same clarity and protection to prescription-lens wearers as we do to those without prescription requirements. We've spent decades innovating and refining our technology to ensure that every pair of prescription glasses we build inspires confidence in everyone who wears them.

Digiforce[™] is Wiley X's proprietary technology which takes into account frame fitting position, prescription, vertex distance, pantoscopic tilt and eye movement patterns to create the most accurate prescription possible in our high wrap frames.

THE WILEY X DIFFERENCE

Through the Wiley X Authentic Prescription Program, we're able to provide our customers with:

- The highest Rx ranges in the industry for safety and sportwrapped frames (-10/+6 in our Active 6 series and up to -7/+5 in most wrapped styles).
- Precise prescriptions for high-wrap frames.
- CAPTIVATE[™] color enhancing lens technology.
- A full service lab with an in-house coating facility.
- A dedicated Rx support team.



COMPARE THE DIFFERENCE

This is a side-by-side comparison of the same Wiley X frame with an authentic Wiley X prescription versus one without. You'll notice the other lab's frame has splayed-out temples and a thicker lens protruding out of both sides. Ours has a thinner lens and no frame distortion, providing a more comfortable and aesthetically pleasing pair of eyewear.



BENEFITS OF DIGIFORCE™ LENSES:

- 10 times more accurate than conventional surfacing.
- Provides the patient with an exact prescription, rather than rounding to the nearest setting in conventional lenses.
- Maximizes field of view with edge-to-edge clarity.
- Wrap compensation allows us to customize a patient's prescription specific to their lifestyle and vision needs.
- Easier patient adaptation to high-wrap frames.

DIGITAL EDGE THINNING

Our proprietary Digiforce Digital Edge Thinning technology is offered exclusively through Wiley X and allows for a high prescription with the thinnest lens necessary to still meet safety standards.

WHY WE USE IT

Digital Edge Thinning was created to accommodate high prescriptions in wrap around sport and safety glasses while still providing an aesthetically pleasing pair of eyewear with minimal distortion.

WHAT IT LOOKS LIKE

Digital Edge Thinning mirrors the frame shape by concentrating the optics centrally. This creates a slight plano area on the outer edge of each lens.

LENS TREATMENTS:

- Anti-Scratch Coating
- Permanent Anti-Fog Coating
- Standard Anti-Fog Coating
- Anti-Reflective Coating
- WX Blue Anti-Reflective

LENS OPTIONS:

- Captivate[™] Polarized
- Polarized
- Non-Polarized
- Photochromic



ACTIVE 6 SERIES

OUR ACTIVE 6 SUNGLASSES OFFER THE POWER OF PRECISION WITH A FLATTER, 6-BASE LENS PROFILE THAT CAN ACCOMMODATE PRESCRIPTIONS UP TO +6 AND -10. ACTIVE 6 MODELS COME WITH PERMANENT AND REMOVABLE SIDE SHIELDS THAT EASILY SNAP INTO PLACE TO MEET THE ANSI Z87.1+ SAFETY STANDARD.



UVA/UVB BLOCKING


LIGHTWEIGHT FRAMES



FEATURES



IMPACT PROTECTION









SHATTERPROOF LENSES

*AVAILABLE ON SELECT MODELS

NEW WX FOUNDER ACTIVE 6 SERIES







AC6FND02 F: MATTE BLACK L: CAPTIVATE™ GREY (NON-POLARIZED)

EAPTIVATE BLACK OPS



AC6FND07 F: MATTE GRAPHITE

NEW

- L: CAPTIVATE[™] POLARIZED
- GREEN MIRROR (COPPER BASE) CAPTIVATE



AC6FND04 F: MATTE BLACK AND TAN L: CAPTIVATE™ TUNGSTEN MIRROR (COPPER BASE) (NON-POLARIZED) EAPTIVATE.



AC6FND09 F: GLOSS CRYSTAL GREY L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE



SHIELDS



AC6FND05 F: MATTE BLACK L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE)

EAPTIVATE.



AGOFND30 F: GLOSS CRYSTAL CLEAR / BLACK L: CLEAR



FEATURES Rx Ready

FIT

ANSI Z87.1+ Impact Protection/Optical Standards 6-Base Lenses UVA/UVB Light Blocking Shatterproof Selenite[™] Lenses **Dual-Injected Rubber Temples** Side Shields can be set as Removable or Permanent (AC6FNDSS)**

ALSO INCLUDES Microfiber Drawstring Bag (DN900)


ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

SPRING 2024 WX SIERRA ACTIVE 6 SERIES









AC6SRA07 F: MATTE GRAPHITE L: CAPTIVATE™ POLARIZED



CAPTIVATE.

WX RECON ACTIVE 6 SERIES





AC6RCN02 F: MATTE BLACK L: CAPTIVATE™ GREY (NON-POLARIZED) EAPTIVATE BLACK OPS



AGORCN30 F: CRYSTAL CLEAR GLOSS L: CLEAR



AC6RCN05 F: MATTE BLACK L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE) CAPTIVATE



AC6RCN08 F: MATTE GREY L: CAPTIVATE™ POLARIZED BLACK MIRROR (GREY BASE) CAPTIVATE.



FIT

FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

135

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite[™] Lenses

Dual-Injected Rubber Temples

Side Shields can be set as Removable or Permanent (ACRCNDSS)**

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards







GLOSS CRYSTAL LIGHT OLIVE

L: CAPTIVATE™ POLARIZED BRONZE MIRROR (COPPER BASE) CAPTIVATE



AC6ALF18 F: MATTE BLACK L: CAPTIVATE™ POLARIZED GREY CAPTIVATE

	R	Γ
A	CGALF04	
F	GLOSS CRYSTALL	GHI









- AC6ALF09
- F: GLOSS CLEAR CRYSTAL L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) EAPTIVATE





FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Lens Ventilation to Increase Airflow

Dual-Injected Rubber Temples

Side Shields Can be Set as Removable or Permanent (AC6SRASS)**

ALSO INCLUDES


Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES

Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards





FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Wire Core Adjustable Temple Tips

Clear ANSI Z87.1+ Removable Side Shields (AC6ALFSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC6ALFPSS)**

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX HELIX ACTIVE 6 SERIES REMOVABLE SIDE SHIELDS





AC6HLX01 F: MATTE BLACK L: SMOKE GREY

AC6HLX04 F: GLOSS BLACK TO CRYSTAL L: CAPTIVATE™ POLARIZED BRONZE MIRROR (COPPER BASE) EAPTIVATE



AC6HLX07 F: GLOSS DEMI L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) EAPTIVATE.



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Clear ANSI Z87.1+ Removable Side Shields (AC6HLXSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC6HLXPSS)**

> ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards

WX TREK ACTIVE 6 SERIES







EAPTIVATE.

COPPER



AC6TRK09 F: GLOSS CRYSTAL DARK GREY L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE



AC6TRK18 F: MATTE BLACK L: CAPTIVATE[™] POLARIZED GREY CAPTIVATE

WX OVATION ACTIVE 6 SERIES





AC60VN01 F: MATTE BLACK L: SMOKE GREY



AC60VN07 F: MATTE WOODGRAIN L: CAPTIVATE[™] POLARIZED GREEN MIRROR (COPPER BASE)



AC60VN09 F: MATTE SLATE L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) EVB11/VIE.

MEDIUM/LARGE 18

FEATURES Rx Ready

FIT

ANSI Z87.1+ Impact Protection/Optical Standards 6-Base Lenses UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Clear ANSI Z87.1+ Removable Side Shields(AC60VNSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC60VNPSS)**

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Clear ANSI Z87.1+ Removable Side Shields (AC6TRKSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC6TRKPSS)**


ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

**With Side Shields Installed, Active 6 Models Meet ANSI Z87.1+ Safety Standards





PUSHING BOUNDARIES AND SURPASSING LIMITS ARE WHAT OUR ACTIVE SERIES ARE BUILT FOR – PREMIUM PROTECTION FOR GETTING AFTER LIFE WITH CONVICTION.



HIGH-VELOCITY IMPACT PROTECTION

UVA/UVB BLOCKING

G

SUPER-TOUGH FRAMES

*AVAILABLE ON SELECT MODELS

ACTIVE 8 SERIES

FEATURES



HIGH-MASS IMPACT PROTECTION



PERIPHERAL **GLARE CONTROL**



LIGHTWEIGHT FRAMES



POLARIZED LENSES





SHATTERPROOF LENSES

SPRING 2024

WX PRIME ACTIVE 8 SERIES







ACPRMO1 F: MATTE BLACK L: CAPTIVATE™ GREY (NON-POLARIZED) CAPTIVATE

ACPRMD5 F: MATTE BLACK L: CAPTIVATE[™] POLARIZED BLACK MIROR (GREY BASE)

EAPTIVATE.



ACPRM09 F: GLOSS CRYSTAL GREY L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) EAPTIVATE

FIT MEDIUM/LARGE



FEATURES Non-Rx

ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses High-Wrap Frames UVA/UVB Light Blocking Shatterproof SeleniteTM Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads Adjustable Nose-Pads Dual-Injected Rubber Temples

ALSO INCLUDES Button Temple Strap (A493) Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

WX ASPECT ACTIVE 8 SERIES





F: MATTE BLACK

L: SMOKE GREY

ACASP17 F: MATTE BLACK L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) CAPTIVATE

SPRING 2024 WX PRIME XL ACTIVE 8 SERIES





ACPRM04XL F: MATTE BLACK

L: CAPTIVATE™ POLARIZED TUNGSTEN MIRROR (COPPER BASE) EAPTIVATE

FIT EXTRA LARGE



FEATURES Non-Rx ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads Adjustable Nose-Pads

ALSO INCLUDES Button Temple Strap (A493) Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

WX CENSOR ACTIVE 8 SERIES





F: MATTE BLACK L: POLARIZED SMOKE GREY BLACK OPS MIL-SPEC









FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Spring Hinges

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

FIT SMALL/MEDIUM



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite[™] Lenses Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

WX CLIMB ACTIVE 8 SERIES






ACCLM09 F: MATTE GREY

L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)

FIT MEDIUM/LARGE



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)





ACKNG07

F: MATTE GRAPHITE

L: CAPTIVATE™ POLARIZED



ACKNG14 F: MATTE BLACK EAPTIVATE.

WX CONTEND ACTIVE 8 SERIES





ACCNT01 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC



ACCNT07 F: MATTE DEMI L: CAPTIVATE[™] POLARIZED GREEN MIRROR (COPPER BASE) EAPTIVATE



ACCNT09 F: MATTE GRAPHITE L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) EAPTIVATE.





FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame

ALSO INCLUDES Microfiber Drawstring Bag (DN900)


ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

WX NASH ACTIVE 8 SERIES





F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC



ACKNG19

- F: MATTE GRAPHITE
- L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) EAPTIVATE.

FIT SMALL/MEDIUM



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Spring Hinges

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

FIT MEDIUM/LARGE



FEATURES

15

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite[™] Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

WX OMEGA ACTIVE 8 SERIES







ACOME01 F: MATTE BLACK L: SMOKE GREY BLACK OPS



L: CAPTIVATE™ POLARIZED BRONZE MIRROR (COPPER BASE) CAPTIVATE



ACOME22

F: KRYPTEK® NEPTUNE L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) CAPTIVATE 🕴 KRYPTEK



L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE)



BLACK OPS MIL-SPEC EAPTIVATE

ACOME08

GREY

F: MATTE BLACK

L: CAPTIVATE™ POLARIZED

FIT MEDIUM/LARGE



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES





WX PEAK ACTIVE 8 SERIES







ACPEA02 F: MATTE BLACK L: CAPTIVATE™ POLARIZED COPPER

ACPEA06 F: MATTE BLACK L: SILVER FLASH (GREY BASE)

P-17 ACTIVE 8 SERIES





P-17CGM F: GLOSS BLACK

L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) EAPTIVATE



P-17R F: BLACK CRYSTAL L: CAPTIVATE[™] POLARIZED RED MIRROR (GREY BASE)



BLACK OPS MIL-SPEC



FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame T-Peg Strap (EH409-4) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)

SPRING 2024 WX PEAK XL ACTIVE 8 SERIES





ACPEA19XL F: MATTE BLACK L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE



P-17CB F: GLOSS DEMI L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE



P-17M F: MATTE BLACK L: SMOKE GREY

FIT SMALL/MEDIUM



ACPEA19

F: MATTE BLACK L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) EAPTIVATE.





FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)





FEATURES

15

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads

66

ALSO INCLUDES

Microfiber Drawstring Bag (DN900)

WX REBEL ACTIVE 8 SERIES







FIT MEDIUM/LARGE



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Dual-Injected Rubber Nose Pads

ALSO INCLUDES Microfiber Drawstring Bag (DN900)

ADDITIONAL ACCESSORIES Black Zippered Case (DN800)







SLAY ACTIVE 8 SERIES





ACSLA01 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC

FIT LARGE



FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Cleaning Cloth with Wiley X Logo (A427) or CAPTIVATE™ Microfiber Bag (DN550)

WX WEEKENDER WOMEN'S ACTIVE 8 SERIES





ACWKN10 F: CRYSTAL BLUSH L: CAPTIVATE™ POLARIZED ROSE GOLD MIRROR (GREEN BASE) EAPTIVATE



39

FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames

UVA/UVB Light Blocking


Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Cleaning Cloth with Wiley X Logo (A427) or CAPTIVATE™ Microfiber Bag (DN550)

Alternative Fit Models Available

FIT SMALL/MEDIUM



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Women's Specific Fit

ALSO INCLUDES Microfiber Drawstring Bag (DN900)



PERFORMANCE SERIES

WITH EXCEPTIONAL PROTECTION AGAINST ALLERGENS, DANGEROUS AIRBORNE PARTICLES, SWEAT, DEBRIS AND WEATHER, THERE ARE NO LIMITS TO WHAT YOU CAN DO. OUR PERFORMANCE SERIES BLOCKS OUT THE ELEMENTS SO YOU CAN FACE THEM WITH CONFIDENCE.



HIGH-VELOCITY IMPACT PROTECTION

UVA/UVB BLOCKING

SUPER-TOUGH FRAMES

FEATURES



 \approx \Rightarrow

POLARIZED LENSES*

PERIPHERAL **GLARE CONTROL**



LIGHTWEIGHT FRAMES

 $\mathcal{O}\mathcal{O}$

REMOVABLE GASKET



SHATTERPROOF LENSES

*AVAILABLE ON SELECT MODELS

AIRRAGE PERFORMANCE SERIES







693

L: CLEAR


F: GLOSS BLACK

692 F: GLOSS BLACK L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE)

CAPTIVATE



BLACK OPS



FEATURES Rx Ready

FIT

ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity[™] Seal (695G2) T-Peg Elastic Strap (EH409-4) Dual-Injected Rubber Temples Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY Facial Cavity™ Seal Thicker Version (695G2T)





L: SMOKE GREY

BLACK OPS MIL-SPEC



L: CLEAR

WX BOSS PERFORMANCE SERIES





L: SMOKE GREY WITH RX RIM

RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)

CCBOSO3D

F: MATTE BLACK

CCBOSO3 F: MATTE BLACK L: CLEAR



CCBOSO9 F: MATTE BLACK L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE



CCBOSO6

F: MATTE BLACK L: SILVER FLASH (GREY BASE)





FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity[™] Seal (CCBOSG2) T-Peg Elastic Strap (EH409-4) Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY Facial Cavity™ Seal Thicker Version (695G2T)

BRICK PERFORMANCE SERIES





855 F: CRYSTAL METALLIC L: SILVER FLASH (GREY BASE)

858 F: MATTE BLACK L: CLEAR









L: CAPTIVATE™ POLARIZED BRONZE MIRROR (COPPER BASE) CAPTIVATE



F: MATTE BLACK L: LIGHT ADJUSTING SMOKE GREY

FIT MEDIUM/LARGE



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity[™] Seal (CCBRHG2) Dynamic Ventilation System Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Black Zippered Case (DN800L) Cleaning Cloth with Wiley X Logo (A428)

FIT SMALL/MEDIUM



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity[™] Seal (855G2W) T-Peg Elastic Strap (EH409-4) Dual-Injected Rubber Temples Anti-Fog

ALSO INCLUDES

Black Zippered Case (DN800)

SOLD SEPARATELY

Facial Cavity™ Seal Thicker Version (855G2T)

WX ENZO PERFORMANCE SERIES







CCENZ01 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC

CCENZ03 F: MATTE BLACK L: CLEAR

FIT MEDIUM/LARGE 15 64 125

FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity[™] Seal (CCENZG2) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads Anti-Fog

ALSO INCLUDES

Button Temple Tip Strap (A493) Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A427)

SOLD SEPARATELY Facial Cavity™ Seal Thicker Version (CCENZG2T)

WX GRID PERFORMANCE SERIES







CCGRD01 F: MATTE BLACK L: GREY

CCGRD03 F: MATTE BLACK L: CLEAR



CCGRD08 F: MATTE UTILITY GREEN L: CAPTIVATE™ POLARIZED GREY CAPTIVATE.

WX GRAVITY PERFORMANCE SERIES





CCGRA01 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC



CCGRA05 F: MATTE BLACK L: LIGHT ADJUSTING SMOKE GREY





CCGRA03 F: MATTE BLACK L: CLEAR BLACK OPS MIL-SPEC



CCGRA12 F: KRYPTEK® NEPTUNE L: CAPTIVATE[™] POLARIZED GREEN MIRROR (COPPER BASE) ΕΛΡΤΙνλτε 🖁 καγρτεκ



CCENZ03D

F: MATTE BLACK


L: SMOKE GREY WITH RX RIM

RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)

CCGRA19 F: BLACK CRYSTAL L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE



CCGRA01D F: MATTE BLACK L: SMOKE GREY WITH RX RIM RX RIM AVAILABLE FOR HIGHER RXS (SIZE : 59 / 23)



Rx Ready


MEDIUM/LARGE

ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity[™] Seal (CCGRAG2) T-Peg Strap (EH409-4) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

Anti-Fog (Non-Polarized Lenses Only) ALSO INCLUDES Black Zippered Case (DN800L)

Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY Facial Cavity™ Seal Thicker Version (CCGRAG2T)




FEATURES

FIT



CCGRD07

- F: MATTE COOL GREY
- L: CAPTIVATE™ POLARIZED GREEN MIRROR (COPPER BASE) EAPTIVATE.



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity™ Seal (CCGRDG2) T-Peg Elastic Strap (EH409-4) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Black Zippered Case (DN800L) Cleaning Cloth with Wiley X Logo (A428)

WX OZONE PERFORMANCE SERIES CLOSED





CCOZNO3 F: MATTE BLACK L: CLEAR



CCOZN09 F: MATTEGREY

L: CAPTIVATE™ POLARIZED BLUE MIRROR (GREY BASE) CAPTIVATE.



CCOZN08 F: MATTE BLACK



FIT Medium/large 18 63

125

43

FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame CLICK A.I.R. Gasket (CCOZNCAG) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads Anti-Fog (Non-Polarized Lenses Only)

ALSO INCLUDES

Button Temple Tip Strap (A493) Black Zippered Case (DN800) Cleaning Cloth with Wiley X Logo (A428)



wx



CCSLE01 F: MATTE VIOLET L: SILVER FLASH (GREY BASE)

CCSLE02 F: MATTE BLACK L: SMOKE GREY



CCSLE03 F: MATTE BLACK L: CLEAR




FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame

Removable Facial Cavity™ Seal (CCSLEG2) Anti-Fog

ALSO INCLUDES Black Zippered Case (DN800)

Cleaning Cloth with Wiley X Logo (A428)

SOLD SEPARATELY Facial Cavity™ Seal Thicker Version (CCSLEG2T)






BUILT TO ADAPT TO YOUR EVER-CHANGING ENVIRONMENT, OUR CHANGEABLE SERIES PROVIDES EXCEPTIONAL PROTECTION AND VISIBILITY IN ANY CONDITION.



HIGH-VELOCITY IMPACT PROTECTION





SUPER-TOUGH FRAMES

TACTICAL SERIES

FEATURES



 \approx \Rightarrow

POLARIZED LENSES*

INTERCHANGEABLE LENSES

MIL-PRF 32432A MILITARY COMBAT EYE PROTECTION

00

REMOVABLE GASKET*



SHATTERPROOF LENSES

*AVAILABLE ON SELECT MODELS

GUARD ADVANCED TACTICAL SERIES





L: SMOKE GREY / CLEAR

MIL-SPEC



MIL-SPEC

ROMER 3 TACTICAL SERIES





1004

F: MATTE BLACK

MIL-SPEC

L: SMOKE GREY / CLEAR



1006 F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST MIL-SPEC

FIT MEDIUM/LARGE



FEATURES Non-Rx

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite[™] Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

ALSO INCLUDES

Button Temple Strap (4006E) Zipper Case 2 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)




FEATURES


Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Dual-Injected Rubber Nose Pads

ALSO INCLUDES

WX Hard Shell Case (DN750) Cleaning Cloth with Wiley X Logo (A428)







FEATURES

Rx Insert* — Size 44 / 25 (PTX) ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Adjustable Nose Piece Saber Advanced Adjustable Strap (306E) Converts Glasses to Goggle

ALSO INCLUDES

Zipper Case (TS-235M) Styles: 308, 309, 315 Microfiber Drawstring Bag (DN900) Styles: 300, 302, 303

Cleaning Cloth with Wiley X Logo (A428) Black Zippered Clamshell Case (DN610A) Style: 307

*Requires Rx Insert for all Prescription Orders

WX SAINT TACTICAL SERIES








CHSAI07 F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC

CHSA108 F: MATTE BLACK I · SMOKE GREY BLACK OPS MIL-SPEC

FIT SMALL/MEDIUM



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite[™] Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

ALSO INCLUDES Black Zippered Case (DN800) Zipper Case 2 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

Alternative Fit Models Available

70

ANSI Z87.1+ Impact Protection/Optical

MIL-PRF-32432A Safety Standard

8-Base Lenses, High-Wrap Frames

Shatterproof Selenite[™] Lenses

Super-Tough Triloid Nylon Frame

Dual-Injected Rubber Nose Pads

Dual-Injected Rubber Temples

UVA/UVB Light Blocking

Foil™ Anti-Fog Lenses

Interchangeable Lenses

120

FIT

MEDIUM

18

FEATURES

Rx Ready

Standards

WX VAPOR TACTICAL SERIES









WX VALOR TACTICAL SERIES





CHVAL01 F: MATTE BLACK L: SMOKE GREY BLACK OPS MIL-SPEC



CHVAL07 F: MATTE BLACK L: SMOKE GREY / CLEAR BLACK OPS



CHVALO6 F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST



CHVAL08 F: MATTE BLACK L: POLARIZED SMOKE GREY BLACK OPS MIL-SPEC



CHVALOGT F: MATTETAN L: SMOKE GREY / CLEAR / LIGHT RUST MIL-SPEC

ALSO INCLUDES

Black Zippered Clamshell Case (DN300) Zippered Case 2 and 3 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

XL-1 ADVANCED TACTICAL SERIES





F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC









FEATURES Rx Insert

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Adjustable Nose Piece Dual-Injected Rubber Temples

ALSO INCLUDES

Zipper Case 2 and 3 Lens Pack (TS-235M) Cleaning Cloth with Wiley X Logo (A428)

**WX Vapor Comm has Thin Temples Compatible with Hearing Protection

FIT MEDIUM/LARGE



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Removable Facial Cavity™ Seal (XLG) T-Peg Strap (XLE) Dual-Injected Rubber Nose Pads Dual-Injected Rubber Temples

ALSO INCLUDES

WX Tactical Case (DN750) Cleaning Cloth with Wiley X Logo (A428)

FALL 2024 WX CYBOR TACTICAL SERIES





. CLEAR / LIGHT RUST

F: MATTE BLACK

L: SMOKE GREY /

MIL-SPEC

7101T

F: MATTE TAN

CLEAR

L: SMOKE GREY /

MIL-SPEC

7201 F: MATTE BLACK L: SMOKE GREY / CLEAR



7102T



CLEAR / LIGHT RUST MIL-SPEC

FALL 2024

WX CYBOR THERMAL TACTICAL SERIES





7201DL F: MATTE BLACK L: SMOKE GREY /





7102DLT F: MATTETAN L: SMOKE GREY / CLEAR MIL-SPEC





FIT Adjustable

FEATURES

Rx Insert Twistlock TLRX* – Size 42/24 ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Military/Tactical Standard UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Anti-Fog Lenses Dynamic / Adjustable Vent Control Super-Tough Alloy Polymer Frame Components Interchangeable Ballistic Lenses Interchangeable Face Gaskets Interchangeable Strap Configurations

ALSO INCLUDES

~

2 Layer Foam Gasket (7201FCS) 25 mm Fire Resistant Strap (7201EB) Black, (7201ET) Tan Cybor Goggle Sleeve

FALL 2024 **WX LYNX** TACTICAL SERIES





MIL-SPEC



F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST MIL-SPEC


FIT ADJUSTABLE

FEATURES

Rx Insert Twistlock TLRX* – Size 42/24 ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Military/Tactical Standard UVA/UVB Light Blocking Shatterproof Selenite[™] Lenses Anti-Fog Lenses Dynamic / Adjustable Vent Control Super-Tough Alloy Polymer Frame Components Interchangeable Lenses Interchangeable Face Gaskets Interchangeable Strap Configurations

ALSO INCLUDES

Thermal/Cold Environment 3 Layer Foam Removable Gasket (7201FCSTH) 40mm Fire Resistant Strap (7201EBL) Black, (7201ETL) Tan, (7202EWL) White





FIT Adjustable

FEATURES

Non-Rx ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Military/Tactical Standard UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Proprietary Channel Venting Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Ballistic Lenses Interchangeable Strap Configurations Replaceable Gaskets Lightweight Foldable Frame

ALSO INCLUDES

25mm Fire Resistant Strap (Velcro) 25mm Fire Resistant Strap (Dual Buckle) Custom Case (DN150) Cleaning Cloth (A428)

SG-1 TACTICAL SERIES



SPEAR TACTICAL SERIES





SP293B / SP293BRX F: MATTE BLACK L: SMOKE GREY / CLEAR / LIGHT RUST MIL-SPEC



SP29T / SP29TRX F: TAN 499 L: SMOKE GREY / CLEAR



SP293T / SP293TRX F: TAN 499 L: SMOKE GREY / CLEAR / LIGHT RUST HIL-SPEC



F: MATTE BLACK L: SMDKE GREY / CLEAR MIL-SPEC

FIT Adjustable



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432(GL) Safety Standard 8-Base Lenses, High-Wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Foil™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Replaceable Gaskets

ALSO INCLUDES

WX Hard Shell Case (DN700S) Removable Temples (SG-1T) SG-1 Elastic Strap (SG-1E) SG-1 Beaded Tactical Strap (258A)

Alternative Fit Models Available

FIT Adjustable

FEATURES Rx Insert Twistlock TLRX* – Size 42/24 ANSI Z87.1+ Impact Protection/Optical Standards MIL-PRF-32432A Safety Standard Anti-Fog UVA/UVB Light Blocking Shatterproof Selenite™ Lenses FoiI™ Anti-Fog Lenses Super-Tough Triloid Nylon Frame Interchangeable Lenses Universal Prescription Lens Compatible (UPLC)

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLB) Black Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29EB) Black, (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS)

*Requires Rx Insert for all Prescription Orders





DESIGNED AND BUILT FOR VERSATILITY, OUR WORKSIGHT® FRAMES WITH REMOVABLE AND PERMANENT SIDE SHIELDS PROVIDE JOB SITE PROTECTION WITH EVERYDAY WEARABILITY.



HIGH-VELOCITY IMPACT PROTECTION

HIGH-MASS IMPACT PROTECTION

UVA/UVB BLOCKING

SUPER-TOUGH FRAMES

WORKSIGHT SERIES

FEATURES







FRAMES





SHATTERPROOF LENSES

*AVAILABLE ON SELECT MODELS

FALL 2024 WX HARMONY WORKSIGHT®








WSHRM01 F: MATTE NAVY BLUE W/ **BLACK TEMPLES** L: CLEAR

WSHRM02 F: MATTE ACETATE W/ BLACK TEMPLES L: CLEAR

REMOVABLE SIDE

SHIELDS



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 4 Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon and Metal

Frames Removable Side Shields (WSHRMSS)** Permanent Side Shields (WSHRMPSS)** Spring Hinges

ALSO INCLUDES Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX AXIS WORKSIGHT®





WSAXI01 F: DARK GUNMETAL WITH MATTE UTILITY GREEN TEMPLES L: CLEAR

WSAXI03 F: MATTE SILVER WITH GLOSS BLACK TEMPLES

L: CLEAR

FALL 2024 WX TIG WORKSIGHT®



- WSTIG01 F: MATTE NAVY BLUE W/ METAL FLAKE L: CLEAR
- WSTIG02 F: MATTE DARK GUNMETAL L: CLEAR



SHIELDS

FIT MEDIUM 16 53 140

FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon and Metal Frames

Removable Side Shields (WSTIGSS)**

Permanent Side Shields (WSTIGPSS)**

Spring Hinges

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX CHASE WORKSIGHT®





L: CLEAR

WSCHS03 F: MATTE BLUE WITH GLOSS

DEMITEMPLES L: CLEAR













FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 4 Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon and Metal Frames Removable Side Shields (WSAXISS)** Permanent Side Shields (WSAXIPSS)** Spring Hinges


ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards



FIT MEDIUM/LARGE



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 4 Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon and Metal Frames Removable Side Shields (WSCHSSS)** Permanent Side Shields (WSCHSPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX CONTOUR WORKSIGHT® wx REMOVABLE SIDE SHIELDS





WSCON01 F: MATTE BLACK L: CLEAR

WSCON05 F: GLOSS BLACK TO BROWN STRIPE I · CLEAR



FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 4 Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames Removable Side Shields (WSCONSS)** Permanent Side Shields (WSCONPSS)**

140

36

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX FUSION WORKSIGHT®





L: CLEAR

WSFSN01 F: MATTE BLACK WITH GUNMETAL TEMPLES

WSFSN05 F: MATTE SILVER /

GLOSS CLEAR CRYSTAL L: CLEAR

WX EPIC WORKSIGHT®






WSEPC01 F: MATTE BLACK L: CLEAR

WSEPC03 F: MATTE CRYSTAL DARK GREY L: CLEAR



WSEPC04 F: MATTE HICKORY BROWN L: CLEAR



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

Side Shields Can be Set as Removable

ALSO INCLUDES Black Zippered Case (DN800)

Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX JUDGE WORKSIGHT®




	\square	
\cup	0	

WSJDG01 F: MATTE BLACK L: CLEAR

WSJDG03

F: GLOSS BLACK TO CLEAR FADE L: CLEAR



4 Base Lenses


Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frames

or Permanent (WSEPCSS)**



FIT SMALL/MEDIUM




FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 4 Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon and Metal Frames Removable Side Shields (WSFSNSS)** Permanent Side Shields (WSFSNPSS)** Spring Hinges

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards



MEDIUM/LARGE 18 55

FIT



FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 4 Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames Removable Side Shields (WSJDGSS)** Permanent Side Shields (WSJDGPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX PROFILE WORKSIGHT®





WSPRF01 F: MATTE BLACK L: CLEAR

WSPRF06 F: GLOSS CRYSTAL LIGHT GREY I · CLEAR

REMOVABLE SIDE

FEATURES

FIT

Rx Ready

17

SMALL/MEDIUM

ANSI Z87.1+ Impact Protection/Optical Standards 4 Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames Removable Side Shields (WSPRFSS)** Permanent Side Shields (WSPRFPSS)**

54

140

36

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX SERENITY WORKSIGHT®





WSSRN04 F: GLOSS BROWN DEMI / CHAMPAGNE TEMPLE INTERIOR L: CLEAR

NEW WX SPECTRE WORKSIGHT®







WSSPT01 F: MATTE BLACK L: CLEAR

WSSPT02 F: GLOSS CRYSTAL GREY / BLACK L: CLEAR

FIT MEDIUM 17

FEATURES

Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards 4 Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames Removable Side Shields (WSPRFSS)** Permanent Side Shields (WSPRFPSS)**

54

135

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)


**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

WX VIRTUE WORKSIGHT®





WSVRT05 F: GLOSS MIDNIGHT BLUE / LILAC DEMI TEMPLE INTERIOR L: CLEAR



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards

4 Base Lenses

Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon and Metal Frames Removable Side Shields (WSSRNSS)** Permanent Side Shields (WSSRNPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards



REMOVABLE SIDE SHIELDS



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 4 Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames Removable Side Shields (WSVRTSS)** Permanent Side Shields (WSVRTPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Worksight® Models Meet ANSI Z87.1+ Safety Standards

ACTIVE 6 WORKSIGHT[®] SERIES

ACTIVE 6 WORKSIGHT MODELS OFFER A 6-BASE LENS PROFILE THAT IS BUILT TO ACCOMMODATE PRESCRIPTIONS UP TO +6 AND -10. EVERY MODEL COMES WITH PERMANENT AND REMOVABLE SIDE SHIELDS THAT EASILY SNAP INTO PLACE TO MEET ANSI Z87.1+ SAFETY STANDARDS.



HIGH-VELOCITY IMPACT PROTECTION



SUPER-TOUGH FRAMES

FEATURES



HIGH-MASS IMPACT PROTECTION







SHATTERPROOF LENSES

NEW

WX FOUNDER ACTIVE 6 OPTICAL SERIES





AGOFND30 F: POLISHED CRYSTAL CLEAR/ POLISHED BLACK L: CLEAR

FIT MEDIUM/LARGE 17

REMOVABLE SIDE

SHIELDS



FEATURES Rx Ready


ANSI Z87.1+ Impact Protection/Optical Standards 6-Base Lenses UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Dual-Injected Rubber Temples

Side Shields Can be Set as Removable or Permanent (AC6FNDSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Active 6 Worksight[®] Models Meet ANSI Z87.1+ Safety Standards





NEW WX RECON ACTIVE 6 OPTICAL SERIES





AGORCN30 F: CRYSTAL CLEAR L: CLEAR



FIT MEDIUM/LARGE

FEATURES

Rx Ready

17

ANSI Z87.1+ Impact Protection/Optical Standards

59

135

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite[™] Lenses


Dual-Injected Rubber Temples

Side Shields Can be Set as Removable or Permanent (AC6RCNSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Active 6 Worksight[®] Models Meet ANSI Z87.1+ Safety Standards





F: GLOSS BLACK TO GREY FADE W/ GREY TEMPLES L: CLEAR

A600VN32 F: GLOSS RICH TORTOISE

W/ GLOSS BLACK TEMPLES L: CLEAR







SMALL/MEDIUM 54 19 125 39

FEATURES Rx Ready

FIT

ANSI Z87.1+ Impact Protection/Optical Standards

6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Clear ANSI Z87.1+ Removable Side Shields (AC6HLXSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC6HLXPSS)**

ALSO INCLUDES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Active 6 Worksight[®] Models Meet ANSI Z87.1+ Safety Standards





FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards 6-Base Lenses

UVA/UVB Light Blocking

Shatterproof Selenite™ Lenses

Super-Tough Triloid Nylon Frame

Clear ANSI Z87.1+ Removable Side Shields (AC60VNSS)**

Clear ANSI Z87.1+ Permanent Side Shields (AC60VNPSS)**

ALSO INCLUDES

F: GLOSS CRYSTAL GREY

L: CLEAR

W/ GLOSS BLUE TEMPLES

Black Zippered Case (DN800) Cleaning Cloth (A428)

**With Side Shields Installed, Active 6 Worksight[®] Models Meet ANSI Z87.1+ Safety Standards



YOUTH FORCE[®] SPORT SERIES

OUR YOUTH FORCE® SPORT SERIES MEETS THE HIGHEST ASTM F803 STANDARDS FOR SAFETY AND CLARITY, WITH THE FIT AND DURABILITY TO WITHSTAND THE RIGORS OF YOUTH SPORTS.





FEATURES



LIGHTWEIGHT FRAMES



LENSES

WX AGILE YOUTH FORCE® SPORT





YFGIL01 F: MATTE BLACK L: CLEAR

YFGIL03 F: MATTE NAVY BLUE L: CLEAR

FIT MEDIUM 16

57

125

FEATURES Rx Ready ASTM F803-Rated Protection

6-Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames Goggle Conversion Strap

ALSO INCLUDES

Youth Force[®] Hard Case (YF2020) Youth Force® Goggle Strap Regular (YF2001) Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Replaceable Nose Piece Youth Force[®] Goggle Strap Small (YF2002) Youth Force[®] Drawstring Microfiber Bag (YF2030)

WX FLASH YOUTH FORCE® SPORT







YFFLA01 F: ROCK CANDY PINK L: CLEAR

YFFLA04 F: MATTE BLACK AND ELECTRIC BLUE LIGHTNING L: CLEAR

WX FIERCE YOUTH FORCE® SPORT





YFFIE01 F: MATTE BLUE INDIGO AND GREY L: CLEAR



F: PLUM L: CLEAR



FEATURES

FIT MEDIUM 18

Rx Ready ASTM F803-Rated Protection 6-Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames Goggle Conversion Strap

ALSO INCLUDES


Youth Force[®] Hard Case (YF2020) Youth Force® Goggle Strap Regular (YF2001) Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Smoke Grey Lenses (YFFIES) Youth Force[®] Goggle Strap Small (YF2002) Youth Force® Button Strap Small (YF2060) Youth Force® Drawstring Microfiber Bag (YF2030)







FEATURES Rx Ready

ASTM F803-Rated Protection 6-Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames Goggle Conversion Strap

ALSO INCLUDES

Youth Force[®] Hard Case (YF2020) Youth Force® Goggle Strap Regular (YF2001) Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY

Smoke Grey Lenses (YFFLAS) Youth Force[®] Goggle Strap Small (YF2002) Youth Force[®] Button Strap Small (YF2060) Youth Force® Drawstring Microfiber Bag (YF2030)

WX GAMER YOUTH FORCE® SPORT







AND METALLIC BLUE

YFGAM02

F: GLOSS BLACK

YFGAM01 F: MATTE BLACK AND DARK SILVER L: CLEAR





YFGAM04 F: MATTE GREY / GLOSS ORANGE L: CLEAR

WX SWIFT YOUTH FORCE® SPORT





YFSWF01 F: MATTE BLACK L: SMOKE GREY



YFSWF05 F: GLOSS WHITE L: RED MIRROR (BROWN BASE)



YFGAM03

F: RED

L: CLEAR

YFSWF09

F: MATTE GRAPHITE L: BLUE MIRROR (GREY BASE)

Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames Goggle Conversion Strap

ALSO INCLUDES

FIT Medium/large

57

ASTM F803-Rated Protection

18

FEATURES

6-Base Lenses

Rx Ready

Youth Force[®] Hard Case (YF2020) Youth Force® Goggle Strap Regular (YF2001) Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY


Smoke Grey Lenses (YFGAMS) Youth Force[®] Goggle Strap Small (YF2002) Youth Force[®] Button Strap Small (YF2060) Youth Force® Drawstring Microfiber Bag (YF2030)

FIT Small 14 129

FEATURES Rx Ready ASTM F803-Rated Protection Light Weight 8-Base Lenses Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frames

ALSO INCLUDES Youth Force[®] Hard Case (YF2020) Youth Force® Button Strap Regular (YF2040)

SOLD SEPARATELY Youth Force® Drawstring Microfiber Bag (YF2030)







APEL AUTHORIZED PROTECTIVE EYEWEAR LIST⁺

ALL OF OUR APEL-APPROVED EYEWEAR MEETS THE OPTICAL, ENVIRONMENTAL, AND VO BALLISTIC IMPACT REQUIREMENTS OF THE MIL-PRF-32432A PERFORMANCE SPECIFICATION: MILITARY COMBAT EYE PROTECTION SYSTEM (MCEPS). PRODUCTS TESTED TO THESE REQUIREMENTS ENSURE THEY WILL PROTECT AGAINST THE HARSHEST OF ENVIRONMENTS AND SHRAPNEL ENCOUNTERED ON THE BATTLEFIELD.



HIGH-VELOCITY IMPACT PROTECTION

HIGH-MASS IMPACT PROTECTION



UVA/UVB BLOCKING

INTERCHANGEABLE LENSES

6 SUPER-TOUGH

FRAMES

MIL-PRF 32432A MILITARY COMBAT EYE PROTECTION

*AVAILABLE ON SELECT MODELS *+***U.S. DEPARTMENT OF DEFENSE**

FEATURES





VENTILATION*

 $\mathcal{O}\mathcal{O}$

REMOVABLE GASKET*



SHATTERPROOF LENSES

WX GRAVITY APEL





CH5201 F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC



WX VALOR APEL





CH4701 F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC



FIT MEDIUM/LARGE



FEATURES Rx Ready

ANSI Z87.1+ Impact Protection/Optical Standards Meets MIL-PRF-32432A Specification: Military Combat Eye Protection APEL-Approved Protection Interchangeable Lenses Foil™ Anti-Fog Lenses 8-Base Lenses, High-wrap Frames UVA/UVB Light Blocking Shatterproof Selenite™ Lenses Super-Tough Triloid Nylon Frame Removable Facial Cavity™ Seal (CH52G) T-Peg Strap (EH409-4) Dual-Injected Rubber Temples Dual-Injected Rubber Nose Pads

ALSO INCLUDES WX Hard Shell Case (DN750G) Cleaning Cloth with Wiley X Logo (A425)

WX VAPOR APEL





MIL-SPEC



F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC



FIT Medium 18

FEATURES Rx Ready ANSI Z87.1+ Impact Protection/Optical Standards Meets MIL-PRF-32432A Specification: Military Combat Eye Protection APEL-Approved Protection Interchangeable Lenses Foil™ Anti-Fog Lenses UVA/UVB Light Blocking Shatterproof Selenite Lenses Super-Tough Triloid Nylon Frame

ALSO INCLUDES

APEL Case (DN750) Cleaning Cloth with Wiley X Logo (A425) Fogtech Anti-Fog Reapplication Wipe (FOG)



CH3601 - LARGE FRAME F: MATTE BLACK L: SMOKE GREY / CLEAR MIL-SPEC



FIT SMALL - REGULAR - LARGE



125 | 133 | 125

FEATURES

Rx Insert – Universal Prescription Lens Compatible (UPLC) ANSI Z87.1+ Impact Protection/Optical Standards Meets MIL-PRF-32432A Specification: Military Combat Eye Protection APEL-Approved Protection Interchangeable Lenses

Foil™ Anti-Fog Lenses

UVA/UVB Light Blocking

Shatterproof Selenite Lenses

Super-Tough Triloid Nylon Frame

ALSO INCLUDES

APEL Case (DN700) CH3401, CH3501 and (DN700L) CH3601 Cleaning Cloth with Wiley X Logo (A425) Fogtech Anti-Fog Reapplication Wipe (FOG)

SOLD SEPARATELY

Vapor Gasket (CH35G) Leash Cord with Rubber Grips (A492B)

SPEAR APEL





F: TAN 499 L: SMOKE GREY / CLEAR MIL-SPEC



SPEAR THERMAL APEL









FIT Adjusting

FEATURES

Rx Insert - Universal Prescription Lens Compatible (UPLC) ANSI Z87.1+ Impact Protection/Optical Standards Meets MIL-PRF-32432A Specification: Military Combat Eye Protection APEL-Approved Protection Interchangeable Lenses Foil™ Anti-Fog Lenses UVA/UVB Light Blocking Shatterproof Selenite Lenses

ALSO INCLUDES

Top Down™ Ventilation

Super-Tough Triloid Nylon Frame

Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS) Fogtech Anti-Fog Reapplication Wipe (FOG)



FIT Adjusting

FEATURESRx Insert - Universal Prescription LensCompatible (UPLC)ANSI Z87.1+ Impact Protection/OpticalStandardsMeets MIL-PRF-32432A Specification:
Military Combat Eye ProtectionAPEL-Approved ProtectionInterchangeable LensesFoil™ Anti-Fog LensesUVA/UVB Light BlockingShatterproof Selenite LensesSuper-Tough Triloid Nylon FrameDual LensTop Down™ Ventilation

ALSO INCLUDES

Spear Goggle Sleeve (SP29SLT) Tan Spear Goggle Bag (AN571) Black Spear Goggle Strap (SP29ET) Tan Spear Facial Cavity™ Seal (SP29FCS) Fogtech Anti-Fog Reapplication Wipe (FOG)





TACTICAL GLOVES

WILEY X TACTICAL SERIES GLOVES ARE DESIGNED FOR SUPERIOR PROTECTION AND PERFORMANCE. WE OFFER EQUIPMENT OPTIONS TO MEET YOUR CRITICAL RESPONSE OBJECTIVES, FROM MILITARY COMBAT, TACTICAL RESPONSE, FIELD OPERATIONS, OR EMERGENCY FIRST RESPONDING. OUR GLOVES ARE DESIGNED TO MAINTAIN HIGH DEXTERITY FOR QUICK, PRECISE RESPONSES, WITH EXTRA SUPPORT IN HIGH WEAR AREAS FOR ADDED DURABILITY AND LONGEVITY. SELECT STYLES FEATURE TOUCH SCREEN CAPABILITY, HARD KNUCKLE, CUT, ABRASION, AND FR FLAME RESISTANCE.



ARIES TACTICAL GLOVE

*M00 - 500 Pair



*M00 - 500 Pair

FEATURES

Synthetic Leather Knuckle and Palm for Maximum Durability/Breathability Reinforced Thumb and Palm Patch in High-

Wear Areas Moisture Wicking Heavy-Duty Lycra®

Gussets Ventilated Fingers for Increased Airflow

and Breathability Clip-Strap for Easy Storage and Portability



*TOUCHTEC BLACK		MADE IN	COYOTE BROWN	
U230.SM	ям	U.S.A.	U231.SM	ѕм
U230.ME	мо		U231.ME	мо 🧊
U230.LA	LG		U231.LA	LG
U230.XL	XL		U231.XL	XL
U230.2X	XXL	11	U231.2X	XXL
*MOQ - 500	Pair V	76	*MOQ - 500	Pair 🔍

BLACK G230.SM SM G230.ME G230.LA LG G230.XL XL

мп

G230.2X XXL



Outlasts Flyers Glove 4-6 Times 100% Nomex Knit Flame Resistant

FEATURES

NAV

Adjustable Cuff for Custom Fit

Sheepskin Leather Reinforced in High-Wear Areas

Custom Designed to Match US Military Uniforms

Clip Strap for Easy Storage and Portability 3 Fingertips Removed for Added Dexterity/ Sensitivity

Navair Approved*

U.S. Air Force Safe To Fly (STF) Approved* (USA Made versions only)

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.



FEATURES

Treated Goatskin Leather for Durability Injection Molded Knuckle Protector 100% Nomex Knit

Flame and Abrasion Resistant

Leather Reinforced in High-Wear Areas Custom Designed to Match U.S. Military Uniforms

Meets Military Flame Resistance Requirement

Thermal and Cut Resistant

*Touchtec Touchscreen Compatible



FOLIAGE GREEN U232.SM SM U232.ME MD U232.LA LG U232.XL XL U232.2X XXL



FOLIAGE GREEN





DURTAC TACTICAL GLOVE



BLACK G400.SM SM G400.ME MD G400.LA LG G400.XL XL G400.2X XXL



FEATURES

Injection Molded Thermoplastic Knuckle and Finger Protectors

Ventilated Fingers and Mesh Back for Airflow/Breathability Synthetic Leather Palm for Maximum

Durability/Breathability Moisture Wicking Heavy-Duty Lycra®

Gussets

Neoprene Cuff for Custom Fit Molded TPR Closure for Easy Grip

Reinforced Thumb and Palm Patch In High-Wear Areas

ORION TACTICAL GLOVE



MADE IN

U.S.A.

COYOTE BR	OWN	-
U301.SM.T	SM	
U301.ME.T	MD	100
U301.LA .T	LG	
U301.XL.T	XL	
U301.2X.T	XXL	-
*MOQ - 500 Pa	ir	

FOLIAGE GREEN U302.SM.T SM U302.ME.T MD 1302.LA.T U302.XL.T U302.2X.T XXL *MOQ - 500 Pair



REMOVABLE INJECTED

MOLDED KNUCKLE PROTECTOR

FEATURES Removable Patent Pending Injected Molded Knuckle Protector 100% Nomex Knit Flame Resistant Adjustable Cuff for Custom Fit Goatskin Leather Reinforced in High-Wear Areas Thermal and Cut Resistant





FEATURES

Outlasts Flyers Glove 4-6 Times 100% Nomex Knit

Flame Resistant

Adjustable Cuff for Custom Fit

Sheepskin Leather Reinforced in High-Wear Areas

Custom Designed to Match U.S. Military Uniforms

Clip Strap for Easy Storage and Portability Navair Approved*

U.S. Army Aviation Approved*

U.S. Air Force Safe To Fly (STF) Approved* (USA Made Versions Only)

Touchtec Touchscreen Compatible

*This statement does not imply an endorsement by any DOD Agency, and military personnel are always encouraged to validate official approvals for use with their respective agencies.

MADE IN

U.S.A.

COYOTE BROWN

G301.SM SM G301.ME MD G301.LA LG G301.XL XL G301.2X XXL



FOLIAGE GREEN G302.SM G302.ME MD G302.LA LG G302.XL XL G302.2X XXL





CAPACITY: 75-100 PAIRS DIMENSIONS: 40"W X 78"H X 16.125"D



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER XL DISPLAY



PREMIER* 933024 CAPACITY: 60 PAIRS DIMENSIONS: 28"W X 78"H X 16.125"D



*OPTIONAL APPAREL RACKS AVAILABLE FOR THE PREMIER DISPLAY

RACK** 933024RK

CAPACITY: 35-45 UNITS DIMENSIONS: 16.25"W X 76"H X 9.625"D



PRODUCT WARRANTY

NON-PRESCRIPTION WILEY X, INC., EYEWEAR

A lifetime warranty covering all manufacturing defects in material and workmanship.

NON-PRESCRIPTION JOHN DEERE[®] AND DVX[™] EYEWEAR

Warranted against defects in materials or workmanship for a maximum period of 1 year. (John Deere[®] warranty applies to USA and Canada only).

PHOTOCHROMIC (LIGHT ADJUSTING™) LENSES

Warranted against defects in materials or workmanship for a maximum period of 18 months (proof of purchase for Photochromic Light Adjusting[™] lenses is required).

GLOVES

Warranted to be free of manufacturing defects in material or workmanship for a maximum period of 2 years.

SCOPE OF COVERAGE

Wiley X will replace covered items at the sole discretion of Wiley X, as needed and as available (identical or equivalent style) at no charge. Out of warranty items may be replaced, or destroyed, at the option and sole expense of the purchaser.

EXCLUSIONS

This product warranty and prescription warranty below does not extend to and excludes:

- a) All Wiley X products purchased through any nonauthorized 3rd party websites, dealers, or labs.
- b) Damage resulting from normal wear and tear (i.e., scratched lenses).
- c) Damage resulting from abuse, misuse, tampering, customer modification, exposure to harmful substances, elements, or conditions.
- d) Lost or stolen item.

WX PRESCRIPTION WARRANTY

RX WARRANTY

Prescription orders processed through Wiley X, Inc. will have a two (2) year warranty from the date of purchase on frames and lenses deemed by Wiley X, Inc. to have manufacturing defects. Prescriptions filled by non-authorized labs will void all Wiley X, Inc. frame and lens warranties. Prescription frame and lens warranties must be handled through the local retailer / dispensing optician from which they were originally purchased.

CAPTIVATE™ RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo on CAPTIVATE lenses that covers against basic surface scratches due to normal wear, along with crazing and peeling for two (2) years from the date of purchases. Scratches caused by improper care or abuse are not covered by this warranty. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

SCRATCH/COATING RX WARRANTY

Wiley X, Inc. will provide a one (1) time scratch redo for lenses with frontal surface scratches due to normal wear for one (1) year from the date of purchase. If a coating was purchased (anti-reflective, anti-scratch, anti-fog, or a mirror) the warranty is extended to a one (1) time redo within two (2) years from the date of purchase. The customer will receive eyewear in the identical form (same frame, lenses, prescription, etc.)

DOCTOR REMAKE

A one (1) time doctor remake on Wiley X, Inc. made prescription lenses is permitted within a forty-five (45) day period from the original order date. The dealer will be charged in full for the remake then will subsequently receive a credit when the original prescription glasses are returned to the Wiley X, Inc. Prescription Department. Original orders must be returned within thirty (30) days of the remake order. All doctor remakes will be billed a \$10.00 shipping fee.

RX CHANGES/CANCELED ORDERS

If the lenses are not in process, prescription changes and order cancellations will be accepted at no charge. Any requests made after a customer order has been put in process will be charged at 50% of the dealer cost.

NON-ADAPTS

Dealer will have forty-five (45) days to return a prescription order that is deemed "non-adapt" by their customer. In this instance, the dealer will receive a full refund on the frame and 50% credit on the RX lenses and coatings. No credit or refund will be issued for non-adapts submitted after forty-five (45) days.

LAB ERRORS

In the event of lab error, prescription lenses will be replaced at no cost within a forty-five (45) day period of the original order date. Redo will be credited upon receipt of original frame and lenses.

PATIENT OWNED FRAME (POF)

Wiley X, Inc. accepts POF orders, however, frames must pass Wiley X, Inc. quality inspection. Prior to sending the POF, please verify that the prescription and the measurements are within the tolerance of the Wiley X, Inc. RX Frame Parameters. Please remove any existing prescription or non-prescription lenses from the frame prior to shipping. Wiley X, Inc. will not provide any warranty or be held responsible for any lost or damaged lenses on previous prescriptions sent in with a frame.

WILEY X, USA

15755 PRESTON ROAD, FRISCO, TX 75033 USA TEL: 1.800.776.7842 // FAX: +1.925.455.8860 WILEYX.COM

WILEY X, EMEA

SONDERGADE 8-10, 7570 VEMB, DENMARK TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40 WILEYX.EU

WILEYX

WILEY X, USA 15755 PRESTON ROAD, FRISCO, TX 75033 USA TEL: 1.800.776.7842 // FAX: +1.925.455.8860 WILEYX.COM

WILEY X, EMEA SONDERGADE 8-10, 7570 VEMB, DENMARK TEL: +45.96.93.00.45 // FAX: +45.95.93.00.40 WILEYX.EU